



V85 TT TRAVEL - TECHNICAL SPECIFICATIONS	
Engine	Transversal 90° V-twin, two valves per cylinder (titanium intake).
Cooling	air
Displacement	853 cc
Bore and stroke	84 x 77 mm
Maximum power	76 CV (56 kW) - 7.500 rpm (Also available at 35 kW, A2 driver license).
Maximum torque	82 Nm - 5.000 rpm.
Compliance	Meets European Directive Euro 5
Emissions	119 g/km (CO2)
Consumption	4,9 l/100 km
Gearbox	6 speed
Fuel tank	23 l (5 reserve).
Seat height	830 mm.
Dry weight	211 kg. (Side panniers excluded)
Kerb weight	243 kg (According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume).
Front suspension	Upside-down hydraulic telescopic fork Ø 41 mm, with adjustable extension and spring preload.
Rear suspension	Swingarm Twin-sided with lateral mono shock absorber, adjustable extension and spring preload.
Front wheel	Cross spoked tubeless wheel, 19" 110/80.
Rear wheel	Cross spoked tubeless wheel, 17" 150/70.
Front brake	Double stainless steel floating disk Ø 320 mm, radial Brembo calipers with 4 opposed pistons.
Rear brake	Stainless steel disk Ø 260 mm, floating 2 pistons caliper.